EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4536	382/128,130,131,132.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 13:51
S2	711	382/128,130,131,132.ccls. and ((object$1 or body) near4 position$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 13:53
S3	319	382/128,130,131,132.ccls. and ((object$1 or body) near4 position$1) and correlat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 13:53
S4	202	382/128,130,131,132.ccls. and ((object$1 or body) near4 position$1) and correlat$3 and mark$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 13:54
S5	202	S4 and correlat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:01
S6	114	S4 and correlat$3 and table$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:06
S7	11	382/128,130,131,132.ccls. and ((object$1 or body) near4 position$1) and (correlat$3 with mark$3) and table$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:07
S8	936	378/62.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:10
S9	152	378/62.ccls. and correlat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:11
S10	64	378/62.ccls. and correlat$3 and mark$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:11

S11	6	378/62.ccls. and (correlat$3 with mark$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:22
S12	5406	378/62.ccls. or 382/128,130,131,132. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:28
S13	37	S12 and (opaque near3 marker$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:29
S14	4	S12 and (noise near3 marker$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:31
S15	127	S12 and (marker with (noise or transparent or visibl$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:32
S16	39	S12 and (marker with (noise or transparent or ("not" adj visibl$1)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:33
S17	44	S12 and (marker with correlat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:45
S18	44	S12 and (marker$1 with correlat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:45
S19	21	S12 and (marker$1 with transparent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:48
S20	0	S12 and (marker$1 with ("not" adj visible))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:50
S21	0	S12 and (marker$1 with ("not" near3 visible))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:51

S22	0	S12 and (marker$1 with absorprtion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:52
S23	20	S12 and (marker$1 with absorption)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:52
S24	8028	378/62.ccls. or 382/100,128,130,131,132.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:52
S25	20	S24 and (marker$1 with absorption)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:53
S26	2	S24 and (marker$1 with ((small or little or low or miniscule or tiny) near2 absorption))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:55
S27	4	S24 and (marker$1 same ((small or little or low or miniscule or tiny) near2 absorption))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:55
S28	92	378/62.ccls. and correlation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:57
S29	152	378/62.ccls. and correlat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:57
S30	63	378/62.ccls. and (marker$1 same (noise or detect$4 or distinguish$4 or small or transparent))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 14:58
S31	58	x$1ray and (marker$1 near6 noise)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 15:07
S32	7	(correlat$3 with image$1) and (maximum$1length near2 sequence $1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 15:15

S33	0	correlate with invicible with markers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 15:33
S34	0	correlat$3 with invicible with markers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 15:33
S35	1	correlat$3 with invicible with markers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 15:33
S36	1	correlat$3 with invicible with marker	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 15:34
S37	8102	(magnitude or level) with within with noise	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 15:35
S38	220	((magnitude or level) with within with noise) same correlat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 15:36
S39	21	((magnitude or level) with within with noise) same correlat$3 same image $1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 15:38
S40	407011	(determin$3 or ascertain$3 or calculat $3 or find) near3 (position)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 15:56
S41	636	378/62.ccls. and position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 16:15
S42	166	378/62.ccls. and (mark$1 or marker $1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 16:16
S43	10	378/62.ccls. and ((mark$1 or marker $1) same noise)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 16:21

S44	81	eck-kai.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 16:25
S45	4	eck-kai.in. and marker$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 16:28
S46	10955	((transparent) or ((barely or "not") near2 visible)) with (marker$1 or mark$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 17:07
S47	55	(((barely or "not") near2 visible)) with (marker$1 or mark$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/01 17:07
S48	1	two$1dimensional with maximum $1length with (sequence or code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 08:42
S49	1	two$1dimensional with maximum $1length with sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 08:48
S50	22	binary with maximum$1length with sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 08:48
S51	1	(binary with maximum$1length with sequence) same image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 08:48
S52	6	(binary with maximum$1length with sequence) and image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 08:50
S53	1	(dimension$2 with maximum$1length with sequence) and image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 08:52
S54	49	(maximum$1length with (sequence or code)) and image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 08:56

S55	6	(maximum$1length with (sequence or code)) same image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 08:56
S56	51	(two$1dimensional and maximum $1length) and position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 09:29
S57	51	(two$1dimension$2 and maximum $1length) and position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 09:29
S58	31	(two$1dimension$2 and maximum $1length) and position and image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 09:34
S59	4	maximum$1length same position same image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 09:47
S60	32	(maximum$1length and position) and image and correlat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 09:49
S61	291	(calibration phantom) and x$1ray	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 09:51
S62	106	((calibration phantom) and x$1ray) and correlat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 09:52
S63	94	((calibration phantom) and x$1ray) and correlat$3 and position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 09:52
S64	0	((calibration phantom) and x$1ray) and correlat$3 and position and (maximum$1length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 09:53
S65	30	((calibration phantom) and x$1ray) and correlat$3 and position and (random)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 09:53

S66	60	maximum$1length same correlat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 11:00
S67	41	(maximum$1length same correlat$3) and position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 11:01
S68	1671	((calibration phantom) or (marker $1)) same (correlat$3) same position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 11:13
S69	879	(((calibration phantom) or (marker $1)) same (correlat$3) same position) and image$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 11:14
S70	465	(((calibration phantom) or (marker $1)) same (correlat$3) same position) and image$1 and (medical or x$1ray)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 11:15
S71	0	(((calibration phantom) or (marker $1)) same (correlat$3) same position) and image$1 and (medical or x$1ray) and (maximum$1length or maximal$1length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 11:17
S72	1	watermark same (maximum$1length)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 11:19
S73	1425	watermark same (random)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 11:19
S74	39	(calibration phantom) and (random) and correlat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 11:19
S75	35	(maximum$1length with sequence) and position and image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 11:25
S76	151	(position or movement or motion) and (maximum$1length with sequence)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 11:33

S77	97	(position or movement or motion) and (maximum$1length with sequence) and correlat$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 11:34
S78	336	calibration phantom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 11:40
S79	69	(calibration phantom) and transparent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 11:41
S80	7	(calibration phantom) with noise	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 11:41
S81	0	(calibration phantom) and (maximum$1length with sequence)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 12:01
S82	1	(maximum$1length with sequence) same gaussian	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 12:21
S83	1	(maximum$1length) same gaussian	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 12:24
S84	39	(two or S49) same (maximum$1length with sequence)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 12:26
S85	28	(maximum$1length with sequence) and (gaussian)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 12:27
S86	1	"09560940"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 14:20
S87	9	"09/560940"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 14:21

S88	1267	(calibration near3 marker$1) or (calibration phantom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 14:23
S89	1040	(calibration near2 marker$1) or (calibration phantom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 14:24
S90	0	((calibration near2 marker$1) or (calibration phantom)) and ((maximum$1length sequence) or (maximal$1length sequence))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 14:24
S91	3	((calibration near2 marker$1) or (calibration phantom)) and (attached near2 body) and (attached near2 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 14:25
S92	2	((calibration marker$1) or (calibration marking$1)) and ((marker$1 or marking$1) with attached with (table)) and ((marker$1 or marking $1) with attached with (body or object or organ or chest))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 14:29
S93	70	((calibration marker$1) or (calibration marking$1)) and (patient near2 position)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 15:13
S94	1	"6118845".pn. and position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 15:15
S95	0	"20030179852".pn. and marking$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 15:33
S96	1	"20030179852".pn. and marker$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 15:33
S97	1	"6484049".pn. and correlation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	ADJ	ON	2007/11/05 17:40

11/6/2007 8:54:43 AM
C:\ Documents and Settings\ dzeilberger\ My Documents\ EAST\ Workspaces
\ 10542076xrayposition_markers.wsp